INDEX TO VOLUME 18

[New names in **bold-face** type]

A

Ahrens, Theodore G., Bats hibernate in the center of a large city, 238
Ailurus, 13
Ailuropoda melanoleuca, 13
Alactaga mongolica mongolica, 331
Alces americana americana, 28, 83–84, 438, 519
Aldous, C. M., Notes on the life history of snowshoe hare, 46
Aldous, Shaler E., A hibernating black bear with cubs, 466
Allactaga jaculus, 414, 424
Allen, Glover M., Geocapromys remains from Exuma Island, 369; Sex dichromatism in Noctilio, 514
Allen, Glover M., and Colin Campbell Sanborn, Notes on bats from the Bahamas, 226
Allen, Glover M., and Thomas Barbour, The Newfoundland wolf, 229
Allison, Vernon C., Evening bat flight from Carlsbad Caverns, 80
Alouatta palliata, 66–71 (musculature),
Ammospermophilus, 74
leucurus leucurus, 243
Amynodon intermedius, 94
Antilope gutturosa gutturosa, 332
Antrozus pallidus, 478
Aotus zonalis, 66–71 (musculature),
Artibeus jamaicensis, 226
Ateles dariensis, 66–71 (musculature),
geoffroyi, 66–71 (musculature),

B

Bade, William Frederic (obituary, H. W. Grinnell), 265
badger, 24, 213–216 (summer food),
Bailey, Howard H., Change of name of Sciurus carolinensis minutus Bailey, 516
Bailey, Alfred M., A hoary bat family, 514
Bailey, Vernon, A typical specimen of the eastern elk from Pennsylvania, 104; The Maryland muskrat marshes, 350; Wilderness wanderers (Chapman, reviewed) 374; Deodorizing skunks, 481
Barabosh, I. I., Taxonomic observations on white whales, 507
Barbour, Thomas, Birth of a manatee, 106; (see under Allen, Glover M.)
bat, 80, 226, 238
big brown, 22, 97
black nosed, 478
brown, 478
California leaf-nosed, 96
canyon, 478
desert pallid, 478
free-tailed, 176
hare-lipped, 514
hoary, 22, 98, 514
little brown, 21, 223
Mexican free-tailed, 478
red, 22, 514
Say, 22
silver-haired, 22
West Indian, 226
bear, 83
black, 22, 238–240 (food habits), 438, (hibernation and breeding), 460, 466
beaver, 1, 83
Canada, 26, 430, 438
Bennitt, Rudolf, and Werner O. Nagel, A survey of the resident game and furbearers of Missouri (review, Leopold), 520
Berry, R. M. (see under Errington, Paul L.)
Bibos gaurus hubbacki, 267
Bidlingmaier, Theodor Carlos, Notes on the genus Chinchilla, 159
bighorn, 105 (hemorrhagic septicemia in), 205

bison, 223 (common names),
alleni, 153
bison bison, 438
Blair, W. Frank, The burrows and food of the prairie pocket mouse, 188
Blarina brevicauda, 102
brevicauda brevicauda, 21, 236
brevicauda talpoides, 21
bobcat, 25, 77, 240
Borell, Adrey E., A new method of collecting bats, 478
Brachyphylla minor, 226 (notes)
Bradypus, 242
Brewster, William, October Farm (E. Raymond Hall, reviewed), 245
Brimley, H. H., The false killer whale on the North Carolina coast, 71
Brooks, Allan, Fur seals off California, 99
Bruce, James A., Sorex longirostris longirostris in Augusta County, Virginia, 513
buffalo, 223 (common names)

C

Cahn, Alvin R., The mammals of the Quetico Provincial Park of Ontario, 19
Callorhinus alascanus, 99–100 (food),
Callospermophilus chrysodeirus chrysodeirus, 365
Camelops minidokae, 153
Camp, Charles L., and Adrey E. Borell, Skeletal and muscular differences in the hind limbs of Lepus, Sylvilagus, and Ochotona, 315
Campbell, Berry, The shoulder musculature of the platyrrhine monkeys, 66
Canimartes cumminsii, 363
cooki, 363
Canis frustror, 45
latrans, 27, 77, 241
latrans mearnsi, 430
lupus, 37–45, 229–235
lupus arctos, 38–45
lupus argunensis, 329
lupus baileyi, 40–45
lupus beothucus, 230–234
lupus canadensis, 230
lupus crassodon, 39–45
lupus gigas, 39–45, 230
lupus irremotus, 41–45
lupus labradorius, 38–45, 230
lupus ligoni, 39–45, 230
lupus lycaon, 39–45
lupus mogollonensis, 43–45
lupus monstrabilis, 42–45
lupus nubilus, 40–45
lupus occidentalis, 39–45
lupus orion, 38–45
lupus pambasileus, 39–45
lupus tundradarum, 38–45, 230
lupus youngi, 40–45
lycaon, 37–45
lycaon lycaon, 25, 37, 38
lycaon youngi, 42–45
rufus, 38–45
rufus floridanus, 44–45
rufus gregoryi, 44–45
rufus rufus, 42–45
variabilis, 45
caribou, woodland, 29
Castor canadensis, 1, 26, 83, 438
Cebus capucinus, 66–71 (musculature)
Cervus, 153
canadensis, 104, 223 (common names), 438
canadensis canadensis, 28, 104
canadensis nelsoni, 104
roosevelti, 62–66 (life history)
unicolor, 277
Chapman, Wendell and Lucy, Wilderness wanderers (Bailey, reviewed), 374
chimpanzee, 501 (anatomy)
Chinchilla, 159 (notes)
chinchilla, 159–163
boliviana, 159
brevicaudata, 159
velligera, 159
chipmunk, eastern, 512
gray eastern, 25
Lake Superior, 25
Choloepus, 242 (cervical ribs)
Citellus, 74
beecheyi, 365
beecheyi beecheyi, 361
columbianus columbianus, 368
dauricus dauricus, 330
franklinii, 214
fulvus, 410
tridecemlineatus, 213
tridecemlineatus tridecemlineatus, 243 (food)
Clark, Frank H., Parturition in the deer mouse, 85
Clark, James Lippitt, The preservation of mammal skins in the field, 89

Clethrionomys, 27
gapperi gapperi, 27, 389 (reproduction)
Condylura cristata, 20, 102
Cottam, Clarence, Speed of the gray fox, 240
Coventry, A. F., Notes on the breeding of some cricetidae in Ontario, 489
coyote, 24, 74, 77, 241 (in Mass.)
Cricetulus furunculus furunculus
Cryptotus floridana, 237–238 (in captivity)
parva, 21, 512, 514
Cynomys lucovicianus ludovicianus, 517

D

Davis, William B., Variations in Townsend pocket gophers, 145
deer, 77 (winter food)
black-tailed, 63
fawn, 105 (call)
large, 223
Virginia, 28, 440
white-tailed, 104 (neurofibromatosis)
de Beaufort, L. F., Max Weber (obit.), 389
Delphinapterus, dorofeevi, 50
freimani, 507
leucas, 507
Dice, Lee R., The common names of mammals, 223
Dikkomys, 174
Dipodomys, 74, 75, 173, 224 (common names)
deserti deserti, 430
deserti sonoriensis, 101
merriami merriami, 432
merriami simiolus, 432
microps celsus, 432
microps leucotis, 432
ordii clemophila, 432
ordii cupideneus, 432
ordii longipes, 432
spectabilis perblandus, 224 (common names)
Diprionomys, 174
Dipus sagitta, 409 (habits)
Durrant, Stephen D., (see under Hall, E. Raymond)

E

Eadie, W. Robert, The Cooper lemming mouse in southern New Hampshire, 102
Eaton, Warren Francis, 123 (obit.)
Echidna, 217
Eifrig, C. W. G., Tiger-lion hybrids, 516
Elephas columbi, 153
imperator, 153
elk, 28
American, 104
eastern, 104 (typical specimen from Pennsylvania)
Roosevelt, 62 (life history)
Entoptychus, 174
Eptisecus bahamensis, 227, 228 (notes)
fuscus cubensis, 227–228 (notes)
fuscus fuscus, 22, 97–98 (notes)
fuscus pallidus, 478
fuscus serotinus, 182 (breeding habits)
Equus, 153
Erinaceus dauuricus, 327
Erethizon dorsatum dorsatum, 28
epixanthum epixanthum, 519
Erophylla planifrons, 228 (notes)
Eutamias dorsalis dorsalis, 431
quadrivittatus hopiensis, 431
Errington, Paul L., Summer food habits of the badger in northwestern Iowa, 213; The breeding season of the muskrat in northwest Iowa, 333; Drowning as a cause of mortality in muskrats, 497
Errington, Paul L., and R. M. Berry, Tagging studies of red foxes, 203
Euarctos americanus americanus, 22, 83 (notes), 438
Eutamias, 26
minimus jacksoni, 25

F

Felis concolor, 65
Feniuk, B. K., and J. M. Kazantzeva, The ecology of Dipus sagitta, 409
fisher, 23, 437
Follet, W. I., Prey of weasel and mink, 365
fox, gray, 240 (speed)
red, 24, 203 (tagging), 437

G

Gates, William H., Notes on the big brown bat, 97; Spotted skunks and bobcat, 240
gaur, Malayan, 267
Gazin, C. Lewis, Notes on fossil mustelids from the upper Pliocene of Idaho and Texas, 363

Geocapromys ingrahami irrectus, 370
browni, 370
thoracatus, 370
geomyoids, 171–176 (parallel radiation)
Geomys townsendii, 152 (notes)
Glaucomys sabrinus sabrinus, 26
Goldman, E. A., The wolves of North America, 37; A new canyon mouse of the genus Peromyscus from Arizona, 92; The Colorado River as a barrier in mammalian distribution, 427
gopher, 145
Bachman pocket, 150 (variations)
Bannock pocket, 155
Coues, 473
Elko pocket, 151
Honey Lake pocket, 150
mountain pocket, 473
Nevada pocket, 150
Townsend pocket, 145–158
Owyhee, pocket, 154
Gorilla gorilla, 242
mountain, 242
Grangerimus, 174
Gregg, H. R., Occurrence of the hoary bat at Hot Springs National Park, Arkansas, 98
Gregorymus, 174
Griffin, Donald R., and John H. Welsh, Activity rhythms in bats under constant external conditions, 337
Grigorieff, N. D. (See Tichwinsky, V. I.)
Grisonella, 363
Gulo luscus, 23

H

Halichoerus grypus, 441
Hall, F. G., Adaptations of mammals to high altitudes, 468
Hall, E. Raymond, Deleterious effects of preservatives on study specimens of mammals, 359
Hall, E. Raymond, and Stephen D. Durrant, A new kangaroo mouse (Microdipodops) of Utah and Nevada, 357
Hamilton, W. J., Jr., N. W. Hosley, and A. E. MacGregor, Late summer and early fall foods of the red fox in central Massachusetts, 366
hare, 82 (notes)
Minnesota varying, 28
snowshoe, 46 (life history), 79
Hargrave, Lyndon L., Extension of range of Perognathus flavus fuliginosus, 101
Hatfield, Donald M., Notes on the behavior of the California leaf-nosed bat, 96; Notes on Minnesota squirrels, 242
Hatt, Robert T., Call of the white-tail fawn, 105
Hibbard, Claude W., Peromyscus leucopus aridulus in Kansas, 101; A new Pitymys from the Pleistocene of Kansas, 235; Cynomys ludovicianus ludovicianus from the Pleistocene of Kansas, 517
hedgehogs, 355
Heliscomys, 172, 173
Hendrickson, George O., and Cifford Schlesselman, Wildlife's toll of a food patch of corn, 236
Heteromys, 174
Hoover, Earl E., Neurofibromatosis in white-tailed deer, 104
Hornaday, William Temple, 264 (obit.)
Hosley, N. W. (see under Hamilton, W. J., Jr.)
Howard, William Johnston, Notes on winter foods of Michigan deer, 77
Howell, A. Brazier, The swimming mechanism of the platypus, 217; Food preferences of antelope ground squirrels, 243; Anaesthetizing mammals, 513
Howell, Arthur H., A simple method of saving small mammals in the field, 95
Hubback, Theodore R., The Malayan gaur or seladang, 267
Huey, Laurence M., El Valle de la Trinidad, the coyote poisoner's proving ground, 74

J

Johnson, Charles Eugene, 123 (obit.)
Jones, Gordon W., The ear muscles of the woodchuck, 517
Jones, John C., Cryptotis parva in central New York, 514

K

kangaroo rat, 359
Kelker, George Hills, Insect food of skunks, 164
Kennard, Frederic Hedge, 263 (obit.)

L

Lagidium, 160 (notes)
Lagothrix infumata, 242
lagotricha, 66–71 (musculature), 242
ubericola, 242
Lagurus curtatus pauperrimus, 369
Lasionycteris noctivagans, 22
Lasiurus minor, 228 (notes)
seminolus, 228 (notes)
Lemur, 242
Leopold, Aldo, Killing technique of the weasel, 98; A survey of the resident game- and fur-bearers of Missouri (Bennitt and Nagel, reviewed), 520
Leptonychotes weddelli, 127–144 (life history)
Lepus, 74
alleni, 46, 48 (notes on life history)
americanus, 79
americanus americanus, 436
americanus phaeonotus, 28, 46–57 (life history), 343
americanus virginianus, 82
californicus, 46, 48 (notes)
californicus californicus, 315, 361
californicus deserticola, 430
tolai tolai, 331
Linsdale, Jean M., William H. Parkinson, California naturalist, 30
Lindsey, Alton A., The Weddell seal in the Bay of Whales, Antarctica, 127
Liomys, 174
List of Members, 390–407
Liu, Ch'eng-Chao, Notes on the food of Chinese hedgehogs, 355
llama, 469
Lobodon carcinophaga, 128
Loukaskin, A. S., The mammals of North Manchuria, 327
Lutra canadensis canadensis, 24, 83, 438
canadensis lataxina, 512
Lutravus halli, 363
idahoensis, 363
lynx, bay, 25
Canada, 25
canadensis canadensis, 25
rufus, 77
rufus eremicus, 430
rufus rufus, 25, 240

M

MacGregor, A. E. (see under Hamilton, W. J., Jr.)
Macrotus californicus, 87 (behavior)
waterhousii compressus, 226–228 (notes)
mammals, 223–226 (common names)
Microsorex hoyi intervectus, 21
thompsoni, 363
Microtus, 89, 103, 214, 225 (common names), 337
californicus californicus, 361
chrotorrhinus, 225
chrotorrhinus chrotorrhinus, 489 (reproduction)
mogollonensis, 432
mordax mordax, 432
pennsylvanicus, 57 (damage to game cover), 100, 225, 244
pennsylvanicus drummonii, 27
pennsylvanicus pennsylvanicus, 102, 236, 489 (reproduction)
(Lasiopodomys) brandti, 331
(Stenocranius) gregalis raddei, 331
Miller, Gerrit S., A note on the foot of Notharctus, 515
Mills, Harlow B., A preliminary study of the bighorn of Yellowstone National Park, 205
Miniopterus schreibersii, 182 (breeding)
mink, 23, 437
Miranda-Ribeiro, Alipio de, Didelphia ou Mammaliaovovivipara (review, Robert K. Enders), 108
manatee, 106 (birth)
Marmota monax canadensis, 25
monax monax, 512
sibirica, 330
Marshall, William H., Muskrat sex ratios in Utah, 518
marten, 22, 437
Martes americana americana, 23, 437
pennanti, 437
pennanti pennanti, 23
Mastodon, 235
americanus, 235

May, Franklin H., The food of the fur seal, 99
Meles leptorhynchus raddei, 329
Mephitis, 365
mephitis, 24
nigra, 87, 164–170 (food), 194–202 (young in captivity)
Meriones tamaricinus, 410
unguiculatus, 330
Metamynodon chadronensis, 93–94
planifrons, 93, 94
Microdipodops megacephalus dickeyi, 357
megacephalus lucidus, 357
pallidus, 357
pallidus albiventer, 357
mole, Brewer, 102
star-nosed, 20, 102
monkey, 66 (musculature)
woolly, 241 (cervical ribs)
Mookomys, 173
Moore, A. W., Some effects of altitude and latitude on the Columbian ground squirrel, 368
moose, 28, 83, 347, 438
Morse, Marius A., Hibernation and breeding of the black bear, 460
mountain lion, 65
mouse, Baird white-footed, 236
beach, 225
brush, 225
cactus, 225
canyon, 225
Carolina jumping, 513
chaparral, 225
Cooper lemming, 27, 102 (in southern N. H.)
cotton, 225
deer, 57 (damage to game cover), 85 (parturition), 225
Drummond meadow, 27
eastern meadow, 236
encinal, 225
golden, 225
gopher, 225
Grand Canyon, 92 (new sp.)
house, 27, 236, 436
Hudson Bay jumping, 28
jumping, 83, 103 (hibernating)
juniper, 225
Labrador white-footed, 26
meadow, 57 (damage to game cover), 102, 214, 215, 244 (in coastal S. C.)
northern white-footed, 236, 436
pine, 102
pinyon, 225
prairie deer, 224
prairie pocket, (burrows and food), 188–191
red-backed, 27
rock prairie pocket, 224
Sitka, 225
white-footed, 26, 225
wood, 225
Murie, Adolph, Following fox trails (review, A. L. Nelson), 107; Some food habits of the black bear, 238
Mus bactrianus mongolium, 330
musculus, 436
musculus musculus, 27, 236
musculus wagneri, 410
muskrat, 27, 333, 350, 437, 443, 512
Mustela cicognanii cicognanii, 23
erminea, 423, 515
frenata nevadensis, 365
frenata nigriauris, 364
frenata noveboracensis, 512
frenata occisor, 515
longicauda spadix, 23
nivalis, 423
nivalis pygmaea, 329
noveboracensis noveboracensis, 483
rixosa rixosa, 23
vison energumenos, 365
vison lacustris, 23
vison vison, 437
Myotis, 223
austroriparius, 177–186 (breeding)
capaccinii, 183 (breeding)
keenii septentrionalis, 22
lucifugus lucifugus, 21, 33, 186 (breeding), 338, 363
myotis, 183 (breeding)
subulatus melanorhinus, 478
subulatus subulatus, 22

N

Napaeozapus insignis frutectanus, 369
Natalus lepidus, 226, 227 (notes)
Nelson, A. L., Microtus pennsylvanicus in coastal South Carolina, 244
Neotoma albigula albigula, 432
albigula venustra, 430
cinerea, 315
cinerea arizonae, 432

cinerea cinerea, 432
fuscipes annectens, 361, 364
lepida devia, 432
lepida lepida, 432
lepida monstrabilis, 432
mexicana pinetorum, 432
stephensi relicta, 432
stephensi stephensi, 432
Neurotrichus gibbsii hyacinthinus, 361
Newsom, William Monypeny, Winter notes on the moose, 347; Mammals of Anticosti Island, 435
Nichols, D. G., Comparison of the palatine slits of Pitymys and Microtus, 103
Nichols, J. T., and H. C. Raven, Skunk mortality on the highway, 365
Nicholson, Arnold J., A hibernating jumping mouse, 103
Noback, Charles Victor, 263 (obit. Gustave J. Noback)
Noctilio leporinus, 514
Nyctalus, 327
Nycteris borealis borealis, 22
cinerea, 22, 514
Nycticellus, 226 (notes)
lepidus, 226–228 (notes), 227

O

Ochotona daurica, 331
hemionus eremicus, 430
princeps albatus, 315
princeps schisticeps, 315
princeps taylori, 315
Odocoileus virginianus borealis, 28, 77–80, (food), 440
columbianus, 63
Oedipomidas geoffroyi, 66–71 (musculature)
Ondatra zibethica, 333, 437
zibethica zibethica, 27
zibethica osoyoosensis, 518
Onychomys, 74
leucogaster melanophrys, 430
torridus longicaudus, 432
torridus pulcher, 432
Orca gladiator, 128
Ornithorhynchus, 217 (swimming mechanism)
Orr, Robert T., Notes on the life history of the Roosevelt elk in California, 62; A porpoise chokes on a shark, 370
Oryzomys palustris texensis, 102
Otocolobus manul manul, 330
otter, 83, 438
Canada, 24
Carolina, 512
Ovis canadensis canadensis, 105–106 (hemorrhagic septicemia), 205–212

P

Pallasiomy meridianus, 410
Palmer, Fletcher G., Geographic variation in the mole, Scapanus latimanus, 280
panda, giant, 13 (notes)
little, 13
Paramynodon birmanicus, 94
cotteri, 93–94
Parascalops breweri, 102
Pearce, John, A captive New York weasel, 483
Peridiomys, 174
perissodactyl, 106
Perodicticus edwardsi, 242
potto, 242
Perognathus, 172, 174, 223
amplus ammodytes, 432
amplus cineris, 432
amplus pergracilis, 432
amplus rotundus, 432
apache caryi, 431
apache, cleomophila, 431
californicus californicus, 361
flavus fuliginosus, 101 (extension of range), 431
flavus hopiensis, 431
formosus formosus, 431
formosus mesembrinus, 431
hispidus maximus, 188–191 (burrows and food)
intermedius, 224
intermedius intermedius, 432
intermedius phasma, 432
longimembris arizonensis, 431
longimembris bombycinus, 431
longimembris panamintinus, 431
longimembris tularensis, 510
parvus olivaceus, 432
Peromyscus, 74, 225, 237, 337
boylii, 225
boylii rowleyi, 430
californicus, 225
californicus benitoensis, 361
californicus parasiticus, 364

crinitus, 225
crinitus auripectus, 92, 430
crinitus crinitus, 92
crinitus disparilis, 432
crinitus peridoneus, 92–93, 430
crinitus stephensi, 92, 432
eremicus, 225
eremicus eremicus, 430
floridanus, 225
gossypinus, 225
leucopus, 57 (damage to game cover)
leucopus aridulus, 101–102 (in Kansas)
leucopus noveboracensis, 236, 489 (reproduction)
leucopus tornillo, 102
maniculatus, 85–87 (parturition), 224–225
maniculatus artemisiae, 85–87 (parturition)
maniculatus bairdii, 214, 224, 236
maniculatus gambelii, 361
maniculatus gracilis, 26, 489 (reproduction)
maniculatus maniculatus, 26, 436
maniculatus nebrascensis, 85–87 (parturition), 102
maniculatus osgoodi, 86
maniculatus rufinus, 430
maniculatus sonoriensis, 430
nasutus, 225
nuttallii, 225
pectoralis, 225
polionotus, 225
sitkensis, 225
truei, 225
truei truei, 430
Phenacomys intermedius, 225
Phoca groenlandica, 441
Phodopus (Cricetiscus) songarus campbelli, 331
Phyllonycteris planifrons, 228
Pipistrellus hesperus maximus, 478
pipistrellus, 182 (breeding)
subflavus, 339
Pitymys, 103 (comp. with Microtus)
mcnowni, 235 (fig.)
pinetorum scalopsoides, 102
platypus, 217–222 (swimming mechanism)
Plecotus auritus, 183 (breeding)
Pleurolicus, 173, 174
Pliosaccomys, 174
Poole, Earl L., Pennsylvania records of Sorex cinereus fontinalis, 96
porcupine, 28
yellow-haired, 519
Potts, Merlin K., Hemorrhagic septicemia in the bighorn of Rocky Mountain National Park, 105
prairie-dog, 517
Preble, Norman A., Sorex dispar in New Hampshire, 95; Pigmy shrew in New Hampshire, 362; The Nova Scotia smoky shrew in New Hampshire, 513; The northern long-tailed weasel from New Hampshire, 515
Presnall, C. C., Lagurus in southwestern Utah, 369
Procyon lotor pallidus, 430
Proheteromys, 173
Pseudorca crassidens, 71–73
Pterygistes noctula, 238 (hibernation)
Putorius eversmanni, 423
eversmanni michnoi, 327

R

rabbit, 82
cottontail, 57 (damage)
Mearns cottontail, 236
Oklahoma cottontail, 190
Rangifer caribou caribou, 29
rat, banner-tailed kangaroo, 224
brown, 236
house, 87, 244
kangaroo, 224
Norway, 27, 436
pale banner-tailed kangaroo, 224
pale kangaroo, 224
Texas rice, 102 (in Oklahoma)
Rattus norvegicus, 27, 87–89, 236, 436
Raven, H. C. (see under Nichols, J. T.)
Reck, H., Wissenschaftliche ergebnisse der Oldoway-Expedition, 1913 (review, Simpson), 374
Reithrodontomys megalotis dychei, 102
megalotis longicaudus, 361
megalotis megalotis, 430
rhinoceros, 93
Rhinolophus ferrum-equinum, 183 (breeding)
hipposideros, 183 (breeding)
Richardson, William Bebb., Description of a race of Perognathus longimembris from Tulare County, California, 510
rodents, 57 (winter damage to game cover), 171
geomyoid, 171–176 (parallel radiation)

S

Saimiri orstedii, 66–71 (musculature)
Sanborn, Colin Campbell, (see under Allen, Glover M.)
Scapanus latimanus, 280
latimanus anthonyi, 312
latimanus campi, 302
latimanus caurinus, 290
latimanus dilatus, 291
latimanus grinnelli, 309
latimanus insularis, 297
latimanus latimanus, 298
latimanus minusculus, 301
latimanus monoensis, 307
latimanus occultus, 310
latimanus parvus, 300
latimanus sericatus, 304
Schlesselman, Clifford (see under Hendrickson, George O.)
Schorger, A. W., House rat in a bank swallow's nest, 244
Sciurus aberti aberti, 431
carolinensis hypophaeus, 243 (notes)
carolinensis leucotis, 82
carolinensis matecumbei, 516
hudsonicus abieticola, 512
hudsonicus hudsonicus, 26
hudsonicus loquax, 82, 191–194 (cone-piling)
kaibabensis, 431
niger rufiventer, 236
Scotophilus, 23
seal, crab-eater, 128
fur, 99 (food)
gray, 441
harp, 441
Weddell, 127–144
seladang, 267
Sheldon, W. G., Notes on the giant panda, 13
Sherman, Franklin, Some mammals of western South Carolina, 512
Sherman, H. B., Breeding habits of the free-tailed bat, 176
shrew, 96 (Penn. records), 237 (in captivity)
large short-tailed, 21, 236
little, 21
little short-tailed, 512, 514
masked, 21
pigmy, 21
short-tailed, 102
water, 21
Siegler, Hilbert R., Winter rodent damage to game cover, 57
Sigmodon hispidus eremicus, 430
Simpson, G. G., Wissenschaftliche Ergebnisse der Oldoway-Expedition 1913 (Reck, reviewed), 374
skunk, 164 (insect food), 194 (notes in captivity)
Canada, 24
spotted, 240
Soper, J. Dewey, Notes on the beavers of Wood Buffalo Park, Alberta, 1; Napaeozapus in eastern Manitoba, 369
Sorex cinereus cinereus, 21, 96 (Penn. records)
cinereus fontinalis, 96 (Penn. records)
cinereus nigriculus, 96
dispar, 95 (in New Hampshire)
fumeus unbrosus, 513
hoyi, 21
longirostris longirostris, 513
ornatus californicus, 361
palustris palustris, 21
trowbridgii montereyensis, 361
Spilogale gracilis phenax, 361
putorius, 240
Sprague, James M., A yellow-haired porcupine born in captivity, 519
Springer, Stewart, Observations on Cryptotis floridana in captivity, 237
squirrel, 82 (notes)
antelope ground, 243–244 (food preferences)
Columbian ground, 368
Franklin's ground, 214
gray, 243
Hudson Bay flying, 26
Minnesota, 242
red, 26, 191–194 (cone-piling), 242
southern red, 512
striped ground, 213–216
thirteen-lined ground, 243 (food)
western fox, 236
Stegeman, LeRoy C., Notes on young skunks in captivity, 194
stoat, 515
Stoner, Dayton, The house rat as an enemy of the bank swallow, 87
Storer, Tracy I, The muskrat as native and alien, 443
Straus, William L., Jr., Cervical ribs in the woolly monkey, 241; The visceral anatomy of an infant chimpanzee, 501

Sylvilagus, 74
auduboni arizonae, 430
auduboni auduboni, 315, 361
bachmani bachmani, 361
bachmani ubericolor, 364
floridanus alacer, 190
floridanus mearnsii, 57 (damage), 236
transitionalis, 82
Synaptomys cooperi cooperi, 27, 102–103 (in southern N. H.), 489 (reproduction)
cooperi stonei, 102–103
fatuus, 27

T

Tadarida, 177 (breeding)
bahamensis, 228 (notes)
cynocephala, 176–187 (breeding)
macrotis, 515
mexicana, 228 (notes)
mexicana mexicana, 80–82 (evening flight), 184 (breeding)
Tamiasciurus hudsonicus, 242 (notes)
Tamias striatus, 100
striatus griseus, 25
striatus striatus, 512
Taxidea taxus, 213–216 (summer food)
taxus taxus, 24
Terres, J. Kenneth, A chipmunk captures a mouse, 100
Thomomys alexandrae, 431
bottae, 145–158 (variations)
bottae absonus, 431
bottae albatus, 430
bottae aureus, 431
bottae bottae, 361
bottae centralis, 431
bottae chrysonotus, 431
bottae fulvus, 431
bottae osgoodi, 431
bottae trumbullensis, 431
fossor, 430, 473
idahoaensis, 155–158 (variations)
muralis, 431
nevadensis, 150
nevadensis atrogriseus, 152
pygmaeus, 155–158
relictus, 150
scudderi, 157–158
suboles, 431
talpoides clusius, 473
townsendii, 145–158 (variations)
townsendii bachmani, 147–158, 154
townsendii elkoensis, 147, 147–158
townsendii nevadensis, 147
townsendii owyhensis, 152–158, 154
townsendii relictus, 147–158
townsendii similis, 145–158
townsendii townsendii, 145–158 (variations), 154
vetus, 145–158
Tichwinsky, V. I., and N. D. Grigorieff, Stoats mating in autumn, 515

U

Urocyon cinereoargenteus, 240 (speed)

V

Vespertilio abramus, 183 (breeding)
barbatus, 226 (notes)
capaccinii, 183 (breeding)
lepidus, 226
murinus, 183 (breeding)
Vesperugo pipistrellus, 182 (breeding)
seronitus, 182 (breeding)
Vestal, Elden H., Activities of a weasel at a woodrat colony, 364
vicuna, 469
viscacha, 469
vole, 225 (common names)
heather, 225
meadow, 225
rock, 225
von Bloeker, Jack C., Mammal remains from detritus of raptorial birds in California, 360
Vulpes corsac, 330
fulva fulva, 437
macrotis arizonensis, 431
macrotis macrotis, 431
vulpes daurica, 329

W

wapiti, 438
Warfel, H. E., Notes on some mammals of western Massachusetts, 82; A coyote in Hampshire County, Massachusetts, 241; Moose records for Vermont, 519
Warren, Edward R., Notes on pocket gophers, 473
weasel, 98 (killing technique)
Bonaparte, 23
least, 23

minnesota, 23
southern, 512
Webb, William L., Notes on the sex ratio of the snowshoe rabbit, 343
Weber, Max, 389 (obit.)
Welsh, John H. (see under Griffin, Donald R.)
whale, false killer, 71 (in N. C.)
killer, 128
Whitaker, H. L., Occurrence of the Texas rice rat in Oklahoma, 102
Wildlife Restoration and Conservation, (review, A. Brazier Howell), 245
Willett, G., Dipodomys deserti sonoriensis in Arizona, 101
Wilson, F. H., Lice on hibernating and non-hibernating mammals, 361
wolf, Alexander Archipelago, 39
brush, 24
eastern timber, 25, 230
Labrador, 38
Mississippi Valley, 44
Mogollon Mountain, 43
Newfoundland, 229–234
Northern Rocky Mountain, 41
plains, 229
Southern Rocky Mountain, 40
Siberian, 229
Texas gray, 42
timber, 229
white tundra, 229
wolverine, 23
wolves, 37–45 (of North America)
Wood, Albert Elmer, Parallel radiation among the geomyoid rodents, 171
Wood, Horace Elmer, 2nd, A new lower Oligocene, amynodont rhinoceros, 93; Perissodactyl suborders, 106
Woodbury, A. M., A record of Tadarida macrotis from Utah, 515
woodchuck, 517
Canada, 25
southern, 512

Y

Yeager, Lee E., Cone-piling by Michigan red squirrels, 191; Thirteen-lined ground squirrel feeds on white grubs, 243
Young, Stanley P., Rodent control aided by emergency conservation (rev. Donald M. Hatfield), 245

Z

Zapus hudsonius americanus, 513
hudsonius hudsonius, 28, 83, 103
Zimmerman, Fred R., Migration of little brown bats, 363